


Compact edge-clip nuts

Clip-on attachment at the sheet edge and alignment with the hole: also check edge distance.



Type identification drawing, not a manufacturing drawing. Dimensions in mm; metric coarse thread. Hole and permitted sheet thickness depend on the variant.

Mounting

Sheet-edge mounting

Check hole, thickness, accessibility and engagement before tightening. Supply on request; no inventory quantities or stock availability are declared.

Nut material and cage material

Nut	Nut class	Cage	Finish
Steel	6	Spring steel	Black phosphated

Technical enquiry

Specify thread, pitch, hole shape and size, sheet thickness, nut material, cage material, finish, quantity, annual consumption and application. Attach a drawing for profile and custom versions.



Mounting compatibility

Hole: 7 mm

M4

Thread	Pitch	Min. thickness	Max. thickness
M4	0.7	0.5	1.1
M4	0.7	1.2	1.8
M4	0.7	1.9	2.5

Geometric dimensions

M	Sheet	L	A	B	X	C	E
4	0.5–1.1	15.8	11.7	6.4	7	7.3	0.6
4	1.2–1.8	15.6	11.7	6.4	7	6.8	0.6
4	1.9–2.5	15.5	11.7	6.4	7	6.4	0.6



Mounting compatibility

Hole: 7 mm

M5

Thread	Pitch	Min. thickness	Max. thickness
M5	0.8	0.5	1.1
M5	0.8	1.2	1.8
M5	0.8	1.9	2.5

Geometric dimensions

M	Sheet	L	A	B	X	C	E
5	0.5–1.1	15.8	11.7	6.4	7	7.3	0.6
5	1.2–1.8	15.6	11.7	6.4	7	6.8	0.6
5	1.9–2.5	15.5	11.7	6.4	7	6.4	0.6



Mounting compatibility

Hole: 7 mm

M6

Thread	Pitch	Min. thickness	Max. thickness
M6	1	0.5	1.1
M6	1	1.2	1.8
M6	1	1.9	2.5

Geometric dimensions

M	Sheet	L	A	B	X	C	E
6	0.5–1.1	15.8	11.7	6.4	7	7.3	0.6
6	1.2–1.8	15.6	11.7	6.4	7	6.8	0.6
6	1.9–2.5	15.5	11.7	6.4	7	6.4	0.6

