



Round U-bolts



Family illustration. Dimensions in mm; pipe sizes in nominal inches. Supply confirmed against enquiry.

Accessories included in the main series; to be confirmed for the alternative series. ISO metric coarse threads.



Indicative dimensional diagram, not to scale.

Variants and dimensions — main

Pipe	Thread	Material	Finish	a	h	b	e	d2
1/8"	M6	S275JR	Zinc plated	11.0	31.0	19.0	17.0	5.3
1/8"	M6	AISI 304L	Washed	11.0	29.0	16.0	17.0	5.3
1/4"	M6	S275JR	Zinc plated	14.0	34.0	19.0	20.0	5.3
1/4"	M6	AISI 304L	Washed	14.0	32.0	16.0	20.0	5.3
3/8"	M6	S275JR	Zinc plated	18.0	37.0	19.0	24.0	5.3
3/8"	M6	AISI 304L	Washed	18.0	36.0	16.0	24.0	5.3
1/2"	M6	S275JR	Zinc plated	22.0	43.0	25.0	28.0	5.3
1/2"	M6	AISI 304L	Washed	22.0	40.0	18.0	28.0	5.3
1/2"	M8	S275JR	Zinc plated	22.0	52.0	30.0	30.0	7.1
1/2"	M8	AISI 304L	Washed	22.0	48.0	25.0	30.0	7.1
1/2"	M8	AISI 316L	Washed	22.0	48.0	25.0	30.0	7.1
1/2"	M10	S275JR	Zinc plated	22.0	60.0	40.0	32.0	8.9
3/4"	M6	S275JR	Zinc plated	27.0	47.0	25.0	33.0	5.3
3/4"	M6	AISI 304L	Washed	27.0	45.0	18.0	33.0	5.3
3/4"	M8	S275JR	Zinc plated	27.0	56.0	30.0	35.0	7.1
3/4"	M8	AISI 304L	Washed	27.0	52.0	25.0	35.0	7.1
3/4"	M8	AISI 316L	Washed	27.0	52.0	25.0	35.0	7.1
3/4"	M10	S275JR	Zinc plated	27.0	66.0	40.0	37.0	8.9
1"	M6	S275JR	Zinc plated	34.0	55.0	25.0	40.0	5.3
1"	M6	AISI 304L	Washed	34.0	52.0	18.0	40.0	5.3
1"	M8	S275JR	Zinc plated	34.0	64.0	30.0	42.0	7.1
1"	M8	AISI 304L	Washed	34.0	60.0	25.0	42.0	7.1
1"	M8	AISI 316L	Washed	34.0	60.0	25.0	42.0	7.1
1"	M10	S275JR	Zinc plated	34.0	72.0	40.0	44.0	8.9
1 1/4"	M6	S275JR	Zinc plated	43.0	63.0	25.0	49.0	5.3
1 1/4"	M6	AISI 304L	Washed	43.0	61.0	18.0	49.0	5.3
1 1/4"	M8	S275JR	Zinc plated	43.0	72.0	30.0	51.0	7.1
1 1/4"	M8	AISI 304L	Washed	43.0	68.0	25.0	51.0	7.1
1 1/4"	M8	AISI 316L	Washed	43.0	68.0	25.0	51.0	7.1
1 1/4"	M10	S275JR	Zinc plated	43.0	82.0	40.0	53.0	8.9
1 1/2"	M8	S275JR	Zinc plated	49.0	73.0	30.0	57.0	7.1
1 1/2"	M8	AISI 304L	Washed	49.0	70.0	28.0	57.0	7.1
1 1/2"	M10	S275JR	Zinc plated	49.0	82.0	40.0	59.0	8.9

Pipe	Thread	Material	Finish	a	h	b	e	d2
1 1/2"	M10	AISI 304L	Washed	49.0	78.0	36.0	59.0	8.9
1 1/2"	M10	AISI 316L	Washed	49.0	78.0	36.0	59.0	8.9
1 1/2"	M12	S275JR	Zinc plated	49.0	100.0	60.0	61.0	10.7
2"	M8	S275JR	Zinc plated	61.0	85.0	30.0	69.0	7.1
2"	M8	AISI 304L	Washed	61.0	82.0	28.0	69.0	7.1
2"	M10	S275JR	Zinc plated	61.0	94.0	40.0	71.0	8.9
2"	M10	AISI 304L	Washed	61.0	90.0	36.0	71.0	8.9
2"	M10	AISI 316L	Washed	61.0	90.0	36.0	71.0	8.9
2"	M12	S275JR	Zinc plated	61.0	112.0	60.0	73.0	10.7
2 1/2"	M8	S275JR	Zinc plated	77.0	101.0	30.0	85.0	7.1
2 1/2"	M8	AISI 304L	Washed	77.0	98.0	28.0	85.0	7.1
2 1/2"	M10	S275JR	Zinc plated	77.0	110.0	40.0	87.0	8.9
2 1/2"	M10	AISI 304L	Washed	77.0	106.0	36.0	87.0	8.9
2 1/2"	M10	AISI 316L	Washed	77.0	106.0	36.0	87.0	8.9
2 1/2"	M12	S275JR	Zinc plated	77.0	128.0	60.0	89.0	10.7
3"	M8	S275JR	Zinc plated	89.0	113.0	30.0	97.0	7.1
3"	M8	AISI 304L	Washed	89.0	110.0	28.0	97.0	7.1
3"	M10	S275JR	Zinc plated	89.0	122.0	40.0	99.0	8.9
3"	M10	AISI 304L	Washed	89.0	118.0	36.0	99.0	8.9
3"	M10	AISI 316L	Washed	89.0	118.0	36.0	99.0	8.9
3"	M12	S275JR	Zinc plated	89.0	140.0	60.0	101.0	10.7
3 1/2"	M8	S275JR	Zinc plated	102.0	130.0	35.0	110.0	7.1
3 1/2"	M8	AISI 304L	Washed	102.0	127.0	35.0	110.0	7.1
3 1/2"	M12	S275JR	Zinc plated	102.0	142.0	50.0	114.0	10.7
3 1/2"	M12	AISI 304L	Washed	102.0	137.0	45.0	114.0	10.7
3 1/2"	M16	S275JR	Zinc plated	102.0	159.0	70.0	118.0	14.6
4"	M8	S275JR	Zinc plated	115.0	142.0	35.0	123.0	7.1
4"	M8	AISI 304L	Washed	115.0	139.0	35.0	123.0	7.1
4"	M12	S275JR	Zinc plated	115.0	156.0	50.0	127.0	10.7
4"	M12	AISI 304L	Washed	115.0	151.0	45.0	127.0	10.7
4"	M16	S275JR	Zinc plated	115.0	173.0	70.0	131.0	14.6
5"	M8	S275JR	Zinc plated	140.0	169.0	35.0	148.0	7.1
5"	M8	AISI 304L	Washed	140.0	165.0	35.0	148.0	7.1
5"	M12	S275JR	Zinc plated	140.0	180.0	50.0	152.0	10.7

Pipe	Thread	Material	Finish	a	h	b	e	d2
5"	M12	AISI 304L	Washed	140.0	175.0	45.0	152.0	10.7
5"	M16	S275JR	Zinc plated	140.0	197.0	70.0	156.0	14.6
6"	M10	S275JR	Zinc plated	168.0	202.0	45.0	178.0	8.9
6"	M10	AISI 304L	Washed	168.0	196.0	45.0	178.0	8.9
6"	M12	S275JR	Zinc plated	168.0	208.0	50.0	180.0	10.7
6"	M16	S275JR	Zinc plated	168.0	225.0	70.0	184.0	14.6
8"	M10	S275JR	Zinc plated	220.0	254.0	45.0	230.0	8.9
8"	M10	AISI 304L	Washed	220.0	248.0	45.0	230.0	8.9
8"	M16	S275JR	Zinc plated	220.0	267.0	60.0	236.0	14.6
8"	M20	S275JR	Zinc plated	220.0	285.0	80.0	240.0	18.2
10"	M10	S275JR	Zinc plated	274.0	308.0	45.0	284.0	8.9
10"	M10	AISI 304L	Washed	274.0	302.0	45.0	284.0	8.9
10"	M16	S275JR	Zinc plated	274.0	321.0	60.0	290.0	14.6
10"	M20	S275JR	Zinc plated	274.0	339.0	80.0	294.0	18.2
12"	M16	S275JR	Zinc plated	324.0	368.0	60.0	340.0	14.6
12"	M20	S275JR	Zinc plated	324.0	379.0	70.0	344.0	18.2
12"	M24	S275JR	Zinc plated	324.0	396.0	90.0	348.0	21.9
14"	M16	S275JR	Zinc plated	356.0	400.0	60.0	372.0	14.6
14"	M20	S275JR	Zinc plated	356.0	411.0	70.0	376.0	18.2
14"	M24	S275JR	Zinc plated	356.0	428.0	90.0	380.0	21.9
16"	M16	S275JR	Zinc plated	408.0	452.0	60.0	424.0	14.6
16"	M20	S275JR	Zinc plated	408.0	463.0	70.0	428.0	18.2
16"	M24	S275JR	Zinc plated	408.0	480.0	90.0	432.0	21.9
18"	M20	S275JR	Zinc plated	460.0	515.0	70.0	480.0	18.2
18"	M24	S275JR	Zinc plated	460.0	532.0	90.0	484.0	21.9
20"	M20	S275JR	Zinc plated	510.0	565.0	70.0	530.0	18.2
20"	M24	S275JR	Zinc plated	510.0	582.0	90.0	534.0	21.9
24"	M20	S275JR	Zinc plated	612.0	667.0	70.0	632.0	18.2
24"	M24	S275JR	Zinc plated	612.0	684.0	90.0	636.0	21.9

Variants and dimensions — alternative

Pipe	Thread	Material	Finish	a	h	b	e	d2
3/4"	M10	S275JR	Zinc plated	30.0	60.0	40.0	40.0	8.9
1"	M10	S275JR	Zinc plated	38.0	66.0	40.0	48.0	8.9
1 1/4"	M10	S275JR	Zinc plated	46.0	76.0	50.0	56.0	8.9
1 1/2"	M10	S275JR	Zinc plated	52.0	82.0	50.0	62.0	8.9
2"	M12	S275JR	Zinc plated	64.0	97.0	50.0	76.0	10.7
2 1/2"	M12	S275JR	Zinc plated	82.0	113.0	50.0	94.0	10.7
3"	M12	S275JR	Zinc plated	94.0	126.0	50.0	106.0	10.7
4"	M16	S275JR	Zinc plated	120.0	155.0	60.0	136.0	14.6
5"	M16	S275JR	Zinc plated	148.0	175.0	60.0	164.0	14.6
6"	M16	S275JR	Zinc plated	176.0	201.0	60.0	192.0	14.6
7"	M16	S275JR	Zinc plated	202.0	233.0	60.0	218.0	14.6
8"	M20	S275JR	Zinc plated	228.0	263.0	70.0	248.0	18.2
10"	M20	S275JR	Zinc plated	282.0	314.0	70.0	302.0	18.2
12"	M20	S275JR	Zinc plated	332.0	365.0	70.0	352.0	18.2
14"	M24	S275JR	Zinc plated	378.0	411.0	70.0	402.0	21.9
16"	M24	S275JR	Zinc plated	428.0	463.0	70.0	452.0	21.9
20"	M24	S275JR	Zinc plated	530.0	565.0	70.0	554.0	21.9