



Tubefix pipe clamps



Family illustration. Dimensions in mm; pipe sizes in nominal inches. Supply confirmed against enquiry.

Accessories included; channel sold separately.



Indicative dimensional diagram, not to scale.

Variants and dimensions — main

Pipe	Thread	Material	Finish	h	b	s
1/2"	—	S235JR	Zinc plated	57.0	21.0	2.0
1/2"	—	S235JR	Hot-dip galvanized	57.0	21.0	2.0
1/2"	—	AISI 304	Washed	57.0	21.0	1.8
3/4"	—	S235JR	Zinc plated	63.0	21.0	2.0
3/4"	—	S235JR	Hot-dip galvanized	63.0	21.0	2.0
3/4"	—	AISI 304	Washed	63.0	21.0	1.8
1"	—	S235JR	Zinc plated	70.0	21.0	2.0
1"	—	S235JR	Hot-dip galvanized	70.0	21.0	2.0
1"	—	AISI 304	Washed	70.0	21.0	1.8
1 1/4"	—	S235JR	Zinc plated	78.0	21.0	2.0
1 1/4"	—	S235JR	Hot-dip galvanized	78.0	21.0	2.0
1 1/4"	—	AISI 304	Washed	78.0	21.0	1.8
1 1/2"	—	S235JR	Zinc plated	86.0	21.0	2.0
1 1/2"	—	S235JR	Hot-dip galvanized	86.0	21.0	2.0
1 1/2"	—	AISI 304	Washed	86.0	21.0	1.8
2"	—	S235JR	Zinc plated	96.0	21.0	2.0
2"	—	S235JR	Hot-dip galvanized	96.0	21.0	2.0
2"	—	AISI 304	Washed	96.0	21.0	1.8
2 1/2"	—	S235JR	Zinc plated	112.0	21.0	2.0
2 1/2"	—	S235JR	Hot-dip galvanized	112.0	21.0	2.0
2 1/2"	—	AISI 304	Washed	112.0	21.0	1.8
3"	—	S235JR	Zinc plated	125.0	21.0	2.0
3"	—	S235JR	Hot-dip galvanized	125.0	21.0	2.0
3"	—	AISI 304	Washed	125.0	21.0	1.8
3 1/2"	—	S235JR	Zinc plated	137.0	21.0	2.0
3 1/2"	—	S235JR	Hot-dip galvanized	137.0	21.0	2.0
3 1/2"	—	AISI 304	Washed	137.0	21.0	1.8
4"	—	S235JR	Zinc plated	150.0	21.0	2.0

Pipe	Thread	Material	Finish	h	b	s
4"	—	S235JR	Hot-dip galvanized	150.0	21.0	2.0
4"	—	AISI 304	Washed	150.0	21.0	1.8
5"	—	S235JR	Zinc plated	176.0	21.0	2.0
5"	—	S235JR	Hot-dip galvanized	176.0	21.0	2.0
5"	—	AISI 304	Washed	176.0	21.0	1.8

